



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

## Section 1. Identification of the substance or the mixture and of the supplier

### 1.1 Product Identifier

**Product identifier:** FROTHY NOG + RUMFIRE

**Other identifiers:** None

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Aromatic fragrance ingredient in concentrated form to be combined with other ingredients to create a finished product. Use according to established regulatory guidelines. For Manufacturing Use Only

### 1.3 Details of the supplier of the safety data sheet

**Company name:** Lark Artisan Supply Inc

**Company address:** 395 Montcalm Ave  
Victoria, BC  
V8Z 4S8

**E-Mail address:** hello@larksupply

**Company phone:** 250.701.6506

### 1.4 Emergency telephone number

**Emergency phone:** North America 800.424.9300/ International 703.527.3887

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

**Class and category of danger:** Acute Toxicity - Oral Category 4  
Acute Toxicity - Dermal Category 5  
Skin Corrosion / Irritation Category 2  
Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Acute Hazard Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 2  
H302, Harmful if swallowed.  
H313, May be harmful in contact with skin.  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H400, Very toxic to aquatic life.  
H411, Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Signal word:** Warning

---

---

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

**Hazard statements:** H302, Harmful if swallowed.  
H313, May be harmful in contact with skin.  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H400, Very toxic to aquatic life.  
H411, Toxic to aquatic life with long lasting effects.

**Precautionary statements:** P261, Avoid breathing vapour or dust.  
P264, Wash hands and other contacted skin thoroughly after handling.  
P270, Do not eat, drink or smoke when using this product.  
P272, Contaminated work clothing should not be allowed out of the workplace.  
P273, Avoid release to the environment.  
P280, Wear protective gloves/eye protection/face protection.  
P301/312, IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  
P302/352, IF ON SKIN: Wash with plenty of soap and water.  
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312, Call a POISON CENTRE or doctor/physician if you feel unwell.  
P330, Rinse mouth.  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P337/313, If eye irritation persists: Get medical advice/attention.  
P362, Take off contaminated clothing and wash before reuse.  
P391, Collect spillage.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:** Hydrocarbon Concentration %: 0.0000%

## Section 3. Composition / information on ingredients

### 3.2 Mixtures

**Contains:**

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	20-<50%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE**Version:** 1

Cinnamaldehyde	104-55-2	5-<10%	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 3;H303-H312-H315-H317-H319-H401-H412
Eugenol	97-53-0	5-<10%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H316-H317-H319-H401
Ethyl maltol	4940-11-8	1-<5%	Acute Tox. 4-Aquatic Acute 2;H302-H401
Vanillin	121-33-5	1-<5%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319-H402
alpha-Methylcinnamaldehyde	101-39-3	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401
Ethyl vanillin	121-32-4	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402
Methyl dihydrojasmonate	24851-98-7	1-<5%	Aquatic Acute 3;H402
GALAXOLIDE 50 BB	Solution	1-<5%	Acute Tox. 5-Skin Irrit. 3;H303-H316
Coumarin	91-64-5	1-<5%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Ethyl 2-methylpentanoate	39255-32-8	1-<5%	Flam. Liq. 3-Skin Irrit. 3;H226-H316
Benzaldehyde	100-52-7	1-<5%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 5-Acute Tox. 4-Skin Irrit. 3-Eye Irrit. 2A-STOT SE 3-Aquatic Acute 2;H227-H302-H313-H316-H319-H332-H335-H401
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	28219-61-6	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H315-H319-H411
Benzyl salicylate	118-58-1	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H316-H317-H319-H402
gamma-Nonalactone	104-61-0	1-<5%	Skin Irrit. 3;H316
Acetyl propionyl	600-14-6	0.1-<1%	Flam. Liq. 2-Acute Tox. 5-Acute Tox. 5-Skin Irrit. 3-Eye Dam. 1-Skin Sens. 1B-STOT RE 2-Aquatic Acute 3;H225-H303-H313-H316-H317-H318-H373-H402
Linalyl acetate	115-95-7	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H227-H315-H317-H320-H402
Hydroxycitronellal	107-75-5	0.1-<1%	Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H317-H319-H402
Cinnamyl nitrile	1885-38-7	0.1-<1%	Acute Tox. 3-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 3;H301-H312-H316-H317-H332-H402
Linalool	78-70-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402
Piperonal	120-57-0	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401
Ethyl (L)-lactate	687-47-8	0.1-<1%	Flam. Liq. 3-Eye Dam. 1-STOT SE 3;H226-H318-H335
alpha-Terpineol	98-55-5	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2;H227-H303-H315-H319-H401
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H226-H303-H317-H320-H402
alpha-Cedrene	469-61-4	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410

**Substances with workplace exposure limits, not listed above:**

Not Applicable



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

## Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

May be harmful in contact with skin.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

---

---

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

**Workplace exposure limits:** Not Applicable

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Free flowing liquid without sediment
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	> 93 °C
<b>Evaporation rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard



## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

<b>Vapour pressure:</b>	Not determined
<b>Vapour density:</b>	Not determined
<b>Relative density:</b>	-0.0050 - 0.0050
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined
<b>Explosive properties:</b>	Not expected
<b>Oxidising properties:</b>	Not expected

### 9.2 Other information:

Refractive Index @ 20C:	-0.0015 - 0.0015
Flash Point (Fahrenheit):	> 200 °F

## Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

<b>Acute Toxicity:</b>	Acute Toxicity - Oral Category 4
	Acute Toxicity - Dermal Category 5
Acute Toxicity Oral	1794
Acute Toxicity Dermal	4677
Acute Toxicity Inhalation	Not Available

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 2  
**Serious eye damage/irritation:** Eye Damage / Irritation Category 2  
**Respiratory or skin sensitisation:** Sensitization - Skin Category 1  
**Germ cell mutagenicity:** Based on available data the classification criteria are not met.  
**Carcinogenicity:** Based on available data the classification criteria are not met.  
**Reproductive toxicity:** Based on available data the classification criteria are not met.  
**STOT-single exposure:** Based on available data the classification criteria are not met.  
**STOT-repeated exposure:** Based on available data the classification criteria are not met.  
**Aspiration hazard:** Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	5000	Not available	Not available	Not available
Benzaldehyde	100-52-7	1430	2500	11	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available
Benzyl salicylate	118-58-1	2200	Not available	Not available	Not available
Cinnamaldehyde	104-55-2	2200	1100	Not available	Not available
Cinnamyl nitrile	1885-38-7	100	1100	Not available	Dust/mist mg/l
Coumarin	91-64-5	500	Not available	Not available	Not available
Ethyl maltol	4940-11-8	1200	Not available	Not available	Not available
Ethyl vanillin	121-32-4	3000	Not available	Not available	Not available
Eugenol	97-53-0	2500	Not available	Not available	Not available
Vanillin	121-33-5	3500	Not available	Not available	Not available
alpha-Methylcinnamaldehyde	101-39-3	2050	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

#### 12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Other adverse effects:** Not available

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
<b>UN Model Regulations</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)	9	-	III
<b>IMDG</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone) MARINE POLLUTANT	9	-	III
<b>ADR,RID,ADN</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)	9	-	III
<b>ICAO TI</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

### Section 15. Regulatory information





# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	<0.1%
Safrole (from natural sources)	94-59-7	<0.1%
Eugenyl methyl ether (Naturally-Occurring)	93-15-2	<0.1%

Essential Oil Components:

Name	CAS	%
CEDARWOOD OIL VIRGINIA	8000-27-9	0.1-<1%
NUTMEG OIL	8008-45-5	0.1-<1%
LEMON OIL CALIFORNIA	8008-56-8	<0.1%

Additional formulation properties

Name	CAS	%
Vanillin	121-33-5	1-<5%
Ethyl vanillin	121-32-4	1-<5%

Components listed on California's SB312

Name	CAS	%
BENZYL BENZOATE	120-51-4	20-<50%
CINNAMIC ALDEHYDE	104-55-2	5-<10%
EUGENOL	97-53-0	5-<10%
COUMARIN ( C )	91-64-5	1-<5%
BENZYL SALICYLATE ( R )	118-58-1	1-<5%
HYDROXYCITRONELLAL	107-75-5	0.1-<1%
LINALOOL	78-70-6	0.1-<1%
CINNAMIC ALCOHOL ( R )	104-54-1	<0.1%

US Department Of Transport Bulk Packing Group: -

## Section 16. Other information

**Concentration % Limits:** SCI 2=79.43% SCI 3=6.61% EDI 2A=26.43% SS 1=1.08% EH A1=48.44% EH A2=4.59% EH A3=0.45802776% EH C2=26.60% EH C3=2.63% EH C4=38.11%

**Total Fractional Values:** SCI 2=1.26 SCI 3=15.14 EDI 2A=3.78 SS 1=92.90 EH A1=2.06 EH A2=21.79 EH A3=218.33 EH C2=3.76 EH C3=38.02 EH C4=2.62

**Key to revisions:**

Not applicable

**Key to abbreviations:**

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3



## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 2	Flammable Liquid, Hazard Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B



## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** FROTHY NOG + RUMFIRE

**Version:** 1

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

